

Fars CCPP

Client: IPDC

Termination Date: 2002

Scope Of Work: EP of 6 HRSG Boilers

Manufactured Equipment Weight: 5120 Ton

Capacity (t/h)

HP Steam: 144/7
LP Steam: 35

Temperature (°c)

HP Steam: 512
LP Steam: 230

Pressure (bar)

HP Steam: 87/9
LP Steam: 6/3



DEVELOPMENT OF SOUTH PARS GAS PHASE1

Client: POGC

Termination Date: 2003

Scope Of Work: EP of 3 Package Boilers

Manufactured Equipment Weight: 400 Ton

Capacity (t/h)

80

Temperature (°c)

250

Pressure (bar)

22



A photograph of the Sahand 650 MW Power Station. On the left, a tall, cylindrical chimney with alternating red and white horizontal stripes rises into a cloudy sky. To the right, a large, cylindrical cooling tower is visible, with yellow structural supports. In the foreground, there is a blue metal structure, possibly part of a walkway or platform. The ground is covered in snow.

Sahand 650 MW Power Station

Client: IPDC

Termination Date: 2006

Scope Of Work: EPC of 2 Package Boilers

Manufactured Equipment Weight: 500 Ton

Capacity (t/h)

60

Temperature (°c)

250

Pressure (bar)

14





Neka CCPP

Client: IPDC

Termination Date: 2006

Scope Of Work: EP of 2 HRSG Boilers

Manufactured Equipment Weight: 3252 Ton

Capacity (t/h)

HP Steam: 241/2
LP Steam: 32/4

Temperature (°c)

HP Steam: 520
LP Steam: 230

Pressure (bar)

HP Steam: 90
LP Steam: 8/5



Yazd CCPP

Client: IPDC

Termination Date: 2006

Scope Of Work: EP of 2 HRSG Boilers

Manufactured Equipment Weight: 2973 Ton

Capacity (t/h)

HP Steam: 241/2
LP Steam: 32/4

Temperature (°c)

HP Steam: 520
LP Steam: 230

Pressure (bar)

HP Steam: 90
LP Steam: 8/5





Mobin Petrochemical

Client: Mobin Petrochemical Co.

Termination Date: 2006

Scope Of Work: EPC of 3 Package Boilers

Manufactured Equipment Weight: 550 Ton

Capacity (t/h)

75

Temperature (°c)

430

Pressure (bar)

43



Old Kazeron CCPP

Client: IPDC

Date Of Award: 2006

Scope Of Work: EP of 2 HRSG Boilers

Manufactured Equipment Weight: 3159 Ton

Capacity (t/h)

HP Steam: 241/2
LP Steam: 32/4

Temperature (°c)

HP Steam: 520
LP Steam: 230

Pressure (bar)

HP Steam: 90
LP Steam: 8/5



New Kazeron CCPP

Client: IPDC

Date Of Award: 2007

Scope Of Work: EP of 4 HRSG Boilers

Manufactured Equipment Weight: 8051 Ton

Capacity (t/h)

HP Steam: 241/2
LP Steam: 32/4

Temperature (°c)

HP Steam: 520
LP Steam: 230

Pressure (bar)

HP Steam: 90
LP Steam: 8/5



Kerman CCPP

Client: IPDC

Termination Date: 2008

Scope Of Work: EP of 8 HRSG Boilers

Manufactured Equipment Weight: 17360 Ton

Capacity (t/h)

HP Steam: 241/2
LP Steam: 32/4

Temperature (°c)

HP Steam: 520
LP Steam: 230

Pressure (bar)

HP Steam: 90
LP Steam: 8/5

Damavand CCPP

Client: IPDC

Termination Date: 2010

Scope Of Work: EP of 12 HRSG Boilers

Manufactured Equipment Weight: 24600 Ton

Capacity (t/h)

HP Steam: 241/2
LP Steam: 32/4

Temperature (°c)

HP Steam: 520
LP Steam: 230

Pressure (bar)

HP Steam: 90
LP Steam: 8/5



The background image shows an industrial facility with three tall, grey cylindrical HRSG boilers standing in a row. Each boiler has a platform at the top with railings. In the background, there are other industrial buildings, including one with a blue roof, and some steam rising from the site. The sky is clear and blue.

Mobin Petrochemical Extension

Client: Mobin Petrochemical Co.

Termination Date: 2010

Scope Of Work: EPC of 2 HRSG Boilers

Manufactured Equipment Weight: 3170 Ton

Capacity (t/h)

HP Steam: 330

Temperature (°c)

HP Steam: 430

Pressure (bar)

HP Steam: 43



Yazd Solar CCPP

Client: IPDC

Termination Date: 2010

Scope Of Work: EP of 2 HRSG Boilers

Manufactured Equipment Weight: 3890 Ton

Capacity (t/h)

HP Steam: 241/2
LP Steam: 32/4

Temperature (°c)

HP Steam: 520
LP Steam: 230

Pressure (bar)

HP Steam: 90
LP Steam: 8/5



Sanandaj CCPP

Client: IPDC

Termination Date: 2011

Scope Of Work: EP of 4 HRSG Boilers

Manufactured Equipment Weight: 7900 Ton

Capacity (t/h)

HP Steam: 241/2
LP Steam: 32/4

Temperature (°c)

HP Steam: 520
LP Steam: 230

Pressure (bar)

HP Steam: 90
LP Steam: 8/5



Isfahan2 CCPP

Client: Persian Foolad Co.

Termination Date: 2011

Scope Of Work: EP of 2 HRSG Boilers

Manufactured Equipment Weight: 4242 Ton

Capacity (t/h)

HP Steam: 241/2
LP Steam: 32/4

Temperature (°c)

HP Steam: 520
LP Steam: 230

Pressure (bar)

HP Steam: 90
LP Steam: 8/5

Pareh Sar CCPP

Client: Pareh Sar GmbH

Termination Date: 2011

Scope Of Work: EP of 4 HRSG Boilers

Manufactured Equipment Weight: 8471 Ton

Capacity (t/h)

HP Steam: 241/2
LP Steam: 32/4

Temperature (°c)

HP Steam: 520
LP Steam: 230

Pressure (bar)

HP Steam: 90
LP Steam: 8/5



Fajr 2 Petrochemical Complex

Client: FPC (Fajr Petrochemical Co.)

Termination Date: 2011

Scope Of Work: EPC of 1 Package Boiler

Manufactured Equipment Weight: 4320 ton

Capacity (t/h)

340

Temperature (°c)

420

Pressure (bar)

42

Abadan CCPP

Client: IPDC

Termination Date: 2011

Scope Of Work: EP of 4 HRSG Boilers

Manufactured Equipment Weight: 7540 Ton

Capacity (t/h)

HP Steam: 241/2
LP Steam: 32/4

Temperature (°c)

HP Steam: 520
LP Steam: 230

Pressure (bar)

HP Steam: 90
LP Steam: 8/5



FAJR 2 PETROCHEMICAL COMPLEX

Client: FAJR PETROCHEMICAL CO.

Termination Date: 2011

Scope Of Work: EPC of 4 HRSG Boilers

Manufactured Equipment Weight: 4320 Ton

Capacity (t/h)

340

Temperature (°c)

420

Pressure (bar)

42





Genaveh CCPP

Client: Mapna Genaveh Power Generation Co.

Termination Date: 2012

Scope Of Work: EP of 2 HRSG Boilers

Manufactured Equipment Weight: 3970 Ton

Capacity (t/h)

HP Steam: 241/2
LP Steam: 32/4

Temperature (°c)

HP Steam: 520
LP Steam: 230

Pressure (bar)

HP Steam: 90
LP Steam: 8/5



Yazd Farab CCPP

Client: Farab Co.

Termination Date: 2012

Scope Of Work: EP of 2 HRSG Boilers

Manufactured Equipment Weight: 4050 Ton

Capacity (t/h)

HP Steam: 241/2
LP Steam: 32.4

Temperature (°c)

HP Steam: 520
LP Steam: 230

Pressure (bar)

HP Steam: 90
LP Steam: 8/5



**South Pars gas field development
Phases 15 & 16**

Client: SEPANIR Co.

Termination Date: 2012

Scope Of Work: EPC of 6 Package Boilers

Manufactured Equipment Weight: 4600 Ton

Capacity (t/h)

160

Temperature (°c)

274

Pressure (bar)

44



**South Pars gas field development
Phases 20 & 21**

Client: OIEC Group

Termination Date: 2013

Scope Of Work: EPC of 6 Package Boilers

Manufactured Equipment Weight: 2090 Ton

Capacity (t/h)

160

Temperature (°C)

274

Pressure (bar)

44





DAMAVAND PETROCHEMICAL STEAM POWER PLANT

Client: DAMAVAND PETROCHEMICAL CO.

Termination Date: 2013

Scope Of Work: EP of 1 Package Boilers

Manufactured Equipment Weight: 360 Ton

Capacity (t/h)

120

Temperature (°c)

430

Pressure (bar)

43



South Pars gas field development Phase 13

Client: POGC

Termination Date : 2013

Scope Of Work: EP of 6 Package Boilers

Manufactured Equipment Weight: 2040 Ton

Capacity (t/h)

160

Temperature (°c)

274

Pressure (bar)

44





South Pars gas field development Phase 14

Client: POGC

Termination Date: 2013

Scope Of Work: EP of 6 Package Boilers

Manufactured Equipment Weight: 2120 Ton

Capacity (t/h)

160

Temperature (oc)

274

Pressure (bar)

44



Jahrom CCPP

Client: IPDC

Termination Date: 2013

Scope Of Work: EP of 6 HRSG Boilers

Manufactured Equipment Weight: 12080 Ton

Capacity (t/h)

HP Steam: 241/2
LP Steam: 32/4

Temperature (°c)

HP Steam: 520
LP Steam: 230

Pressure (bar)

HP Steam: 90
LP Steam: 8/5



Qeshm Power and Water Generation Plant

Client: Mapna Qeshm Generation Plant Co.

Termination Date: 2013

Scope Of Work: EP of 2 CHP Steam Boilers

Manufactured Equipment Weight: 570 Ton

Capacity (t/h)

HP Steam: 47.8

Temperature (°C)

HP Steam: 200

Pressure (bar)

HP Steam: 13



Damavand Petrochemical Power & Steam

Client: Damavand Petrochemical Co.

Termination Date: 2013

Scope Of Work: EP of 2 HRSG Boiler

Manufactured Equipment Weight: 390 Ton

Capacity (t/h)

120

Temperature (°c)

430

Pressure (bar)

43



Shirvan CCPP

Client: IPDC

Termination Date: 2013

Scope Of Work: EP of 6 HRSG Boilers

Manufactured Equipment Weight: 12270 Ton

Capacity (t/h)

HP Steam: 241/2
LP Steam: 32/4

Temperature (°c)

HP Steam: 520
LP Steam: 230

Pressure (bar)

HP Steam: 90
LP Steam: 8/5

Kahnouj CCPP

Client: kahnouj Mahtaab co.

Termination Date: 2017

Scope Of Work: EP of 2 HRSG Boilers

Manufactured Equipment Weight: 4359 Ton

Capacity (t/h)

HP Steam: 241/2
LP Steam: 32/4

Temperature (°c)

HP Steam: 520
LP Steam: 230

Pressure (bar)

HP Steam: 90
LP Steam: 8/5

Behbahan CCPP

Client: Behbahan Power Generation Management Co.

Termination Date: 2016

Scope Of Work: EPC of 2 HRSG Boilers

Manufactured Equipment Weight: 4359 Ton

Capacity (t/h)

HP Steam: 241/2
LP Steam: 32/4

Temperature (°c)

HP Steam: 520
LP Steam: 230

Pressure (bar)

HP Steam: 90
LP Steam: 8/5

Yazd-e-Taban CCPP

Client: Energy Gostaran-e-jam Co.

Termination Date: 2016

Scope Of Work: EP of 2 HRSG Boilers

Manufactured Equipment Weight: 3940 Ton

Capacity (t/h)

HP Steam: 241/2
LP Steam: 32/4

Temperature (°c)

HP Steam: 520
LP Steam: 230

Pressure (bar)

HP Steam: 90
LP Steam: 8/5



Chadr Malou CCPP

Client: Chador Malu mineral & industrial co.

Termination Date: 2015

Scope Of Work: EP of 2 HRSG Boilers

Manufactured Equipment Weight: 4060 Ton

Capacity (t/h)

HP Steam: 241/2
LP Steam: 32/4

Temperature (°c)

HP Steam: 520
LP Steam: 230

Pressure (bar)

HP Steam: 90
LP Steam: 8/5



Sirjan Samangan CCPP

Client: kermanian power plant

Termination Date: 2017

Scope Of Work: EP of 2 HRSG Boilers

Manufactured Equipment Weight: 4040 Ton

Capacity (t/h)

HP Steam: 241/2
LP Steam: 32/4

Temperature (°c)

HP Steam: 520
LP Steam: 230

Pressure (bar)

HP Steam: 90
LP Steam: 8/5



Teshrin CCPP

Client: PEEGT

Termination Date: 2002

Scope Of Work: EP of 2 HRSG Boilers

Manufactured Equipment Weight: 3900 Ton

Capacity (t/h)

HP Steam: 220
LP Steam: 32/4

Temperature (°C)

HP Steam: 505
LP Steam: 230

Pressure (bar)

HP Steam: 81
LP Steam: 8/5



Jandar CCPP

Client: PEEGT

Termination Date: 2012

Scope Of Work: EP of 2 HRSG Boilers

Manufactured Equipment Weight: 3857 Ton

Capacity (t/h)

HP Steam: 213
LP Steam: 32/4

Temperature (°c)

HP Steam: 520
LP Steam: 230

Pressure (bar)

HP Steam: 80
LP Steam: 8/5

نیروگاه سیکل شهید احمد کاظمی
(گل گهر سیرجان)

Shahid Ahmad Kazemi
CCPP

کارفرما: شرکت معدنی و صنعتی گل گهر
محدوده کار:

طراحی، تامین و ساخت ۲ واحد بویلر بازایافت حرارتی
وزن تجهیزات ساختنی: ۳۹۸۰ تن

Client: Gol Gohar mineral & industrial co.

Scope Of Work:

EP of 2 HRSG Boilers

Manufactured Equipment Weight: 3980 Ton

ظرفیت (t/h)
Capacity (t/h)

HP Steam: 241/2
LP Steam: 32/4

دما (°C)
Temperature (°C)

HP Steam: 520
LP Steam: 230

فشار (bar)
Pressure (bar)

HP Steam: 90
LP Steam: 8/5

نیروگاه سیکل ترکیبی غرب کارون

West Karoun CCPP

کارفرما: شرکت مهندسی و توسعه نفت ایران
محدوده کار: طراحی، تامین و ساخت ۲ واحد
بویلر بازایافت حرارتی سه فشاره
وزن تجهیزات ساختنی: ۴۲۷۰ تن

Client: Petroleum Engineering and
Development Company (PEDEC)

Scope Of Work: EP of 2 HRSG Boilers

Manufactured Equipment Weight: 42707 Ton

ظرفیت (t/h)
Capacity (t/h)

HP Steam: 180
IP Steam: 48
LP Steam: 28/4

دما (°C)
Temperature (°C)

HP Steam: 532
IP Steam: 532
LP Steam: 234

فشار (bar)
Pressure (bar)

HP Steam: 130/5
IP Steam: 32
LP Steam: 4/7

نیروگاه سیکل ترکیبی ارومیه

ORUMIEH CCPP

کارفرما: شرکت تدبیر سازان سرآمد
محدوده کار: طراحی، تامین و ساخت ۶ واحد
بویلر بازایافت حرارتی
وزن تجهیزات ساختنی: ۱۱۹۱۰ تن

Client:

TADBIR SAZAN SARAMAD CO.

Scope Of Work: EP of 4 HRSG Boilers

Manufactured Equipment Weight: 6540 Ton

ظرفیت (t/h)
Capacity (t/h)

HP Steam: 241/2
LP Steam: 32/4

دما (°C)
Temperature (°C)

HP Steam: 520
LP Steam: 230

فشار (bar)
Pressure (bar)

HP Steam: 90
LP Steam: 8/5

نیروگاه سیکل ترکیبی عسلویه

Asalouyeh CCPP

کارفرما: شرکت برق مینا عسلویه
محدوده کار:

Client: MAPNA Asalouye Power Co.

Scope Of Work:

طراحی، تامین و ساخت ۶ واحد بویلر بازایافت حرارتی

EP of 6 HRSG Boilers

وزن تجهیزات ساختنی: ۱۳۰۹۰ تن

Manufactured Equipment Weight: 13090 Ton

ظرفیت (t/h)
Capacity (t/h)

HP Steam: 241/2
LP Steam: 32/4

دما (°C)
Temperature (°C)

HP Steam: 520
LP Steam: 230

فشار (bar)
Pressure (bar)

HP Steam: 90
LP Steam: 8.5

پتروپالایش کنگان

Kangan

کارفرما: شرکت پتروپالایش کنگان
محدوده کار: طراحی، تامین، ساخت
نصب و راه اندازی ۴ واحد بویلر پکیج
وزن تجهیزات ساختنی: ۲۰۴۰ تن

Client: Kangan Petro Refining Co.

Scope Of Work:

EPC of 4 Package Boilers

Manufactured Equipment Weight: 2040 Ton

ظرفیت (t/h)
Capacity (t/h)

HP Steam: 140

دما (°C)
Temperature (°C)

HP Steam: 420

فشار (bar)
Pressure (bar)

HP Steam: 43

نیروگاه سیکل ترکیبی روميله

RUMILEH CCPP

کارفرما: شرکت شامارا
محدوده کار:

Client: SHAMARA Co.

Scope Of Work:

طراحی، تامین و ساخت ۱۲ واحد بویلر بازایافت حرارتی

EP of 12 HRSG Boilers

وزن تجهیزات ساختنی: ۲۶۱۵۴ تن

Manufactured Equipment Weight: 26154 Ton

ظرفیت (t/h)
Capacity (t/h)

HP Steam: 241/2
LP Steam: 32/4

دما (°C)
Temperature (°C)

HP Steam: 520
LP Steam: 230

فشار (bar)
Pressure (bar)

HP Steam: 90
LP Steam: 8.5

فولاد مبارکه Mobarakeh Steel Co.

کارفرما: شرکت فولاد مبارکه
محدوده کار: طراحی، تامین، ساخت، نصب و راه اندازی ۱ واحد بویلر بازیافت حرارتی
وزن تجهیزات ساختنی: ۲۱۰۰ تن

Client: Mobarakeh Steel Co.

Scope Of Work:
EPC of 1 HRSG Boiler

Manufactured Equipment Weight: 2100 Ton

ظرفیت (t/h)
Capacity (t/h)

HP Steam: 200

دما (°C)
Temperature (°C)

HP Steam: 467

فشار (bar)
Pressure (bar)

HP Steam: 64

نیروگاه سیکل ترکیبی کاشان Kashan CCPP

کارفرما: شرکت سبانوین
محدوده کار: طراحی، تامین و ساخت ۲ واحد بویلر بازیافت حرارتی
وزن تجهیزات ساختنی: ۳۹۷۰ تن

Client: Saba novin Co.

Scope Of Work:
EP of 2 HRSG Boilers

Manufactured Equipment Weight: 3970 Ton

ظرفیت (t/h)
Capacity (t/h)

HP Steam: 241/2

LP Steam: 32/4

دما (°C)
Temperature (°C)

HP Steam: 520

LP Steam: 230

فشار (bar)
Pressure (bar)

HP Steam: 90

LP Steam: 8/5

نیروگاه سیکل ترکیبی سبلان Sabalan CCPP

کارفرما: شرکت برق امید سبلان
محدوده کار: طراحی، تامین و ساخت ۶ واحد بویلر بازیافت حرارتی
وزن تجهیزات ساختنی: ۱۳۱۹۰ تن

Client: Sabalan Bargh Omid Co.

Scope Of Work:
EP of 6 HRSG Boilers

Manufactured Equipment Weight: 13190 Ton

ظرفیت (t/h)
Capacity (t/h)

HP Steam: 241/2

LP Steam: 32/4

دما (°C)
Temperature (°C)

HP Steam: 520

LP Steam: 230

فشار (bar)
Pressure (bar)

HP Steam: 90

LP Steam: 8/5

نیروگاه سیکل ترکیبی رودشور

WEST RUDESHUR CCPP

کارفرما: شرکت تولید برق و انرژی امیرکبیر
محدوده کار: طراحی، تامین و ساخت ۳ واحد
 بویلر بازیافت حرارتی کلاس F
وزن تجهیزات ساختنی: ۱۰۸۱۷ تن

Client:

AMIR KABIR POWER AND ENERY CO.

Scope Of Work: EP of 6 HRSG F CLASS

Manufactured Equipment Weight: 10817 Ton

ظرفیت (t/h) Capacity (t/h)	دما (°C) Temperature (°C)	فشار (bar) Pressure (bar)
HP Steam: 219/7	HP Steam: 560	HP Steam: 140
IP Steam: 49/2	IP Steam: 560	IP Steam: 34
LP Steam: 40/7	LP Steam: 234	LP Steam: 4/97

نیروگاه سیکل ترکیبی چابهار

CHABAHAH CCPP

کارفرما: شرکت تولید نیرو جنوب شرق صبا
محدوده کار:
 طراحی، تامین و ساخت ۲ واحد بویلر بازیافت حرارتی
وزن تجهیزات ساختنی: ۴۳۵۹ تن

Client: TOLID NIROU JONUB SHARGH SABA CO.

Scope Of Work:

EP of 2 HRSG Boilers

Manufactured Equipment Weight: 4359 Ton

ظرفیت (t/h) Capacity (t/h)	دما (°C) Temperature (°C)	فشار (bar) Pressure (bar)
HP Steam: 241/2	HP Steam: 520	HP Steam: 90
LP Steam: 32/4	LP Steam: 230	LP Steam: 8/5

نیروگاه سیکل ترکیبی پرند

Parand CCPP

کارفرما: شرکت تولید برق مینا پرند
محدوده کار: طراحی، تامین و ساخت
 ۶ واحد بویلر بازیافت حرارتی
وزن تجهیزات ساختنی: ۱۳۰۷۷ تن

Client: MAPNA Parand Power Generation Co.

Scope Of Work:

EP of 6 HRSG Boilers

Manufactured Equipment Weight: 13077 Ton

ظرفیت (t/h) Capacity (t/h)	دما (°C) Temperature (°C)	فشار (bar) Pressure (bar)
HP Steam: 241/2	HP Steam: 520	HP Steam: 90
LP Steam: 32/4	LP Steam: 230	LP Steam: 8/5

نیروگاه سیکل ترکیبی فردوسی Ferdowsi CCGP

کارفرما: شرکت برق مهنا توس
محدوده کار: طراحی، تامین و ساخت
۶ واحد بویلر بازیافت حرارتی
وزن تجهیزات ساختنی: ۱۳۱۴۰ تن

Client: MAPNA Tous Power Co.

Scope Of Work:

EP of 6 HRSG Boilers

Manufactured Equipment Weight: 13140 Ton

ظرفیت (t/h) Capacity (t/h)	دما (°C) Temperature (°C)	فشار (bar) Pressure (bar)
HP Steam: 241/2 LP Steam: 32/4	HP Steam: 520 LP Steam: 230	HP Steam: 90 LP Steam: 8/5

نیروگاه سیکل ترکیبی هنگام Hengam CCGP

کارفرما: شرکت هولدینگ نیروگاههای حرارتی
محدوده کار: طراحی، تامین و ساخت ۲ واحد
بویلر بازیافت حرارتی کلاس F
وزن تجهیزات ساختنی: ۷۲۴۰ تن

Client: Thermal Power Plants Holding Company

Scope Of Work:

EP of 2 HRSG F CLASS

Manufactured Equipment Weight: 7240 Ton

ظرفیت (t/h) Capacity (t/h)	دما (°C) Temperature (°C)	فشار (bar) Pressure (bar)
HP Steam: 340/2 IP Steam: 38 LP Steam: 307	HP Steam: 541 IP Steam: 540 LP Steam: 365	HP Steam: 118 IP Steam: 31 LP Steam: 9

نیروگاه سیکل ترکیبی خرم آباد Khorramabad CCGP

کارفرما:
شرکت مولد نیروی خرم آباد
محدوده کار: طراحی، تامین و ساخت
۲ واحد بویلر بازیافت حرارتی
وزن تجهیزات ساختنی: ۳۹۸۰ تن

Client: Khorramabad Combined cycled power generation plant

Scope Of Work:

EP of 2 HRSG Boilers

Manufactured Equipment Weight: 3980 Ton

ظرفیت (t/h) Capacity (t/h)	دما (°C) Temperature (°C)	فشار (bar) Pressure (bar)
HP Steam: 241/2 LP Steam: 32/4	HP Steam: 520 LP Steam: 230	HP Steam: 90 LP Steam: 8/5

نیروگاه سیکل ترکیبی غدیر قشم

Qadir Qeshm CCPP

کارفرما: شرکت انرژی گستر قشم
محدوده کار: طراحی، تامین و ساخت
۲ واحد بویلر بازیافت حرارتی
وزن تجهیزات ساختنی: ۳۹۸۰ تن

Client: ENERGY GOSTAR QESHM COMPANY

Scope Of Work:

EP of 2 HRSG Boilers

Manufactured Equipment Weight: 3980 Ton

ظرفیت (t/h)
Capacity (t/h)

HP Steam: 241/2
LP Steam: 32/4

دما (°C)
Temperature (°C)

HP Steam: 520
LP Steam: 230

فشار (bar)
Pressure (bar)

HP Steam: 90
LP Steam: 8/5

مجتمع تولید آب بوشهر

Bushehr Water Desalination Plant

کارفرما:
شرکت آب و برق قشم مینا
محدوده کار:
طراحی، مهندسی، تامین و ساخت آب شیرین کن
با ظرفیت ۳۵۰۰۰ مترمکعب در شبانه روز

Client: MAPNA Qeshm Water and Electricity
Generation Company

Scope Of Work:

EPC of the water desalination plan (SWRO)

RO+CEDI نیروگاه غرب کارون RO + CEDI package of West Karun Power Plant

کارفرما:

شرکت مهندسی و توسعه نفت ایران

محدوده کار:

طراحی، مهندسی، تامین و ساخت پکیج RO+CEDI با ظرفیت ۳۸۴ مترمکعب در شبانه روز

Client: Petroleum Engineering and Development CO. (PEDEC)

Scope Of Work:

EP of RO + CEDI package with a capacity of 384 M³ per day

RO+CEDI نیروگاه فردوسی RO + CEDI package of Ferdowsi Power Plant

کارفرما:

شرکت برق مینا توس

محدوده کار:

طراحی، مهندسی، تامین و ساخت پکیج RO+CEDI با ظرفیت ۶۴۸ مترمکعب در شبانه روز

Client:

MAPNA Tous Power Plant CO.

Scope Of Work:

EP of RO + CEDI package with a capacity of 648 M³ per day

RO+CEDI نیروگاه رودشور RO + CEDI package of Rudeshur Power Plant

کارفرما:

شرکت تولید برق و انرژی امیر کبیر

محدوده کار:

طراحی، مهندسی، تامین و ساخت پکیج RO+CEDI با ظرفیت ۵۴۰ مترمکعب در شبانه روز

Client:

Amir Kabir Power and Energy CO.

Scope Of Work:

EP of RO + CEDI package with a capacity of 540 M³ per day